



Halogen reflector

13289 50W GX5.3 13.8V 1CT/24

Philips' halogen reflector lamps offer the ideal no-fuss solution for a wide variety of medical, projection and scientific illumination systems. Their proven reliability makes them ideal for retrofit installations. The burners are precisely aligned for optimal light performance. Dichroic reflectors ensure heat dissipation towards the back of the optical system, which helps the optical system remain within temperature limits. A special blue-filter version blocking out unwanted light above 700 nm is available for dental curing applications. In addition, you get all the proven advantages of halogen technology such as a CRI of 100 – the same as natural sunlight for the best possible color rendering. Halogen lamps also create a comfortable warm white light, and they maintain their high lumen output with almost no lumen reduction throughout their lifetime.


Product data

General Information		Mechanical and Housing	
Cap-Base	GX5.3	Bulb Material	Quartz-UV Open
Operating Position	UNIVERSAL [Any or Universal (U)]	Reflector Finish	Smooth
Life to 50% Failures (Nom)	1,000 hour(s)	Bulb Shape	R50
		Net Weight (Piece)	26.000 g
Light Technical		Approval and Application	
Correlated Color Temperature (Nom)	-	CE mark	Yes
Color rendering index (CRI)	100		
Operating and Electrical		Product Data	
Power Consumption	50 W	Order product name	13289 50W GX5.3 13.8V 1CT/24
Voltage (Nom)	13.8 V	Full product name	13289 50W GX5.3 13.8V 1CT/24
		Full product code	871869669017800
Controls and Dimming		Order code	923931518205
Dimmable	Yes	Material Nr. (12NC)	923931518205
		Numerator - Quantity Per Pack	1

Halogen reflector

EAN/UPC - Product/Case	8718696690178
Numerator - Packs per outer box	24
EAN/UPC - Case	8718696690185

Dimensional drawing



Product	D (max)	C (max)
13289 50W GX5.3 13.8V 1CT/24	50 mm	46 mm

