

## ANTEM LED

### Naświetlacz Led



|                   |            |            |               |              |           |
|-------------------|------------|------------|---------------|--------------|-----------|
| [V]<br>220-240 AC | [Hz]<br>50 | [°]<br>100 | [h]<br>≥10000 | [h]<br>15000 | Ra<br>≥80 |
| SMD               | -20÷35     | 180        | -20÷35        | Ra<br>≥80    | Ra<br>≥80 |
| SMD               | -20÷35     | 180        | -20÷35        | Ra<br>≥80    | Ra<br>≥80 |
| SMD               | -20÷35     | 180        | -20÷35        | Ra<br>≥80    | Ra<br>≥80 |



### ANTEM LED 10W-NW B

|                       |              | [W] | [lm] | Tc [K] | IP | czarny | SENSOR |
|-----------------------|--------------|-----|------|--------|----|--------|--------|
| ANTEM LED 10W-NW B    | <b>33200</b> | 10  | 800  | 4000   | 65 | czarny |        |
| ANTEM LED 20W-NW B    | <b>33201</b> | 20  | 1600 | 4000   | 65 | czarny |        |
| ANTEM LED 30W-NW B    | <b>33202</b> | 30  | 2400 | 4000   | 65 | czarny |        |
| ANTEM LED 50W-NW B    | <b>33203</b> | 50  | 4000 | 4000   | 65 | czarny |        |
| ANTEM LED 100W-NW B   | <b>33204</b> | 100 | 8000 | 4000   | 65 | czarny |        |
| ANTEM LED 10W-NW-SE B | <b>33205</b> | 10  | 800  | 4000   | 44 | czarny | PIR    |
| ANTEM LED 20W-NW-SE B | <b>33206</b> | 20  | 1600 | 4000   | 44 | czarny | PIR    |
| ANTEM LED 30W-NW-SE B | <b>33207</b> | 30  | 2400 | 4000   | 44 | czarny | PIR    |
| ANTEM LED 50W-NW-SE B | <b>33208</b> | 50  | 4000 | 4000   | 44 | czarny | PIR    |



Kanlux ANTEM to seria naświetlaczy LED. Te naświetlacze to przede wszystkim łatwość podłączenia, a dzięki zintegrowanej puszcze przyłączeniowej unikamy również nieestetycznego podłączenia kabla. Kanlux ANTEM LED to szeroki wybór mocy od: 10 W do 100 W, a także wersje z czujnikami ruchu i bez. Klosz z delikatną pryzmą miękko rozprasza światło i ogranicza efekt olśnienia. Wersja bez czujnika ruchu odznacza się szczelnością IP65, a wersja z czujnikiem IP44. Czujnik nastawić można w zakresie czasu świecenia, natężenia światła i obszaru detekcji.

- Materiał obudowy: stop aluminium
- Materiał szyby ochronnej: szkło hartowane
- Materiał wysięgnika: metal

## ANTEM LED

Naświetlacz Led



ANTEM LED 10W-NW B



ANTEM LED 20W-NW B



ANTEM LED 30W-NW B



ANTEM LED 50W-NW B



ANTEM LED 100W-NW B



ANTEM LED 10W-NW-SE B



ANTEM LED 20W-NW-SE B




ANTEM LED 30W-NW-SE B

## ANTEM LED


### Naświetlacz Led




ANTEM LED 50W-NW-SE B




ANTEM LED 10W-NW B




ANTEM LED 20W-NW B




ANTEM LED 30W-NW B




ANTEM LED 50W-NW B




ANTEM LED 100W-NW B




ANTEM LED 10W-NW-SE B



ANTEM LED 20W-NW-SE B



ANTEM LED 30W-NW-SE B



ANTEM LED 50W-NW-SE B