

KMB6

Wyłącznik nadmiarowo-prądowy, 2P



KMB6-C16/2

	[M]	[V]	[P]	In [A]
KMB6-C16/2	23178	230 AC	2	16
KMB6-C6/2	32583	230 AC	2	6
KMB6-C10/2	32584	230 AC	2	10
KMB6-C20/2	32586	230 AC	2	20
KMB6-C25/2	32587	230 AC	2	25
KMB6-C32/2	32588	230 AC	2	32
KMB6-C40/2	32589	230 AC	2	40
KMB6-C50/2	32590	230 AC	2	50
KMB6-C63/2	32591	230 AC	2	63

Wyłącznik z zabezpieczeniem nadmiarowo-prądowym służy do ochrony przewodów przed przeciążeniami i zwarciami w instalacjach i urządzeniach.

KMB6

Wyłącznik nadmiarowo-prądowy, 2P



KMB6-C16/2



KMB6-C6/2



KMB6-C10/2



KMB6-C20/2



KMB6-C25/2



KMB6-C32/2




KMB6-C40/2




KMB6-C50/2




KMB6-C63/2




KMB6-C16/2



KMB6-C6/2




KMB6-C10/2




KMB6-C20/2

KMB6


Wyłącznik nadmiarowo-prądowy, 2P




KMB6-C25/2




KMB6-C32/2



KMB6-C40/2



KMB6-C50/2



KMB6-C63/2